


**REAL SECURITY
THAT BLOCKS SECURITY GAPS
SMARTKEEPER PRO**



Government



Airports



Power Generating Plants
Nuclear, Thermal, Hydroelectric


Anytime




Public Institutions



Infrastructure
Railroad, Highway, Subway



Energy
Oil, Gas, Refinery



Manufacturing
Semiconductors, Batteries, Electronics



Financial Institutions



Military


Anywhere



Biomedical Industries



Information Technology



National Defense

Different level of physical security, proven by countless customers :

“ I thought all USB locking devices were the same, used as a formality rather than for security. However, SMARTKEEPER has changed my opinion.

SMARTKEEPER provides superior security in comparison to their competition. In addition, SMARTKEEPER products integrated seamlessly into our networking system and after deployment, there was a renewed sense of security.”

In one word, it was PERFECT.



Empty **USB Port** is a security risk that requires immediate attention



Use **Link Lock** to allow only the devices that are authorized by security manager



Securing open **Network Ports** is an important yet basic security matter



Securing **Network (LAN) Cables** are easy



Shield yourself with a solution that can be clearly seen with **SMARTKEEPER**



SMARTKEEPER PROFESSIONAL

Superior Security with Unmatched Compatibility
SMARTKEEPER PRO

Proven solution deployed to over 3,000 sites
including government, military and public institutions
Come & Experience **SMARTKEEPER** Now!

REFERENCES

Many customers prove the effectiveness of the **SMARTKEEPER** series.

| South Korea

- Over 150 sites for nuclear, hydroelectric generating station, thermal power plant
- Over 130 transportation network infrastructure sites including water resources, railroads, airports, ports and road
- Over 78 sites for military such as Army, Navy, Air-Force and related defense facilities
- Over 130 sites of local governments, including central ministries
- National Research Institutes and Major National Institutions
- Over 120 sites of financial institutions including major banks, insurance & stock companies
- 58 educational institutions including elementary, secondary, high school and university
- 36 medical institutions, including hospitals
- Electronic company and production system of global production corporation
- 20 companies related to shipbuilding and heavy industry
- Over 130 manufacturing sites for telecommunication, display and semiconductor

| Overseas

- Major governmental organizations in the U.S.A / Germany / Singapore / Honduras
- 35 sites of power plants in the U.S.A / Europe
- 56 global manufacturers
- Major military facilities
- 26 financial institutions, including Capital company



Due Diligence

Delay Mechanism & Visual Warning Message

- 1st basic security solution of the End-Point
- Countermeasures against external viruses (ransomware)
- Internal data leakage prevention



Usability & Scalability

Easy to use, Expandable with lock keys

- Easy to use and operate
- No maintenance required and semi-permanent use
- Conveniently manage multiple products with one key



Independence of Application

No impact on the system

- Applicable without any kind of software or operating system
- Applicable to systems where software security is not possible, such as backbone, nuclear power generation, or production system

SMARTKEEPER PRO Line-Up

SMARTKEEPER PRO is a complete line-up of physical security products for I/O ports of computers and network devices. Deployed to more than 3,000 major sites globally, **SMARTKEEPER PRO** uses various patterns of Universal Lock Keys that are managed confidentially. All products are provided through B2B sales exclusively.

USB Security

- USB Port Lock
- USB-B Port Lock
- Mini USB-B Port Lock
- Micro USB-B Port Lock
- USB-C Port Lock
- USB-C Port Lock Plus
- Link Lock
- C Link Lock
- C-Charge Lock
- Link Lock Hub
- Link On 3
- Secure Drive
- Secure Connector
- USB Closing Lock

Network Security

- Network Port Lock Plus
- LAN Cable Lock Plus
- Secure LAN Cable Coupler
- Network Module Lock 4P/8P/12P
- LAN Cable Link Lock
- Dedicated Cable
- Fiber Optic Module Lock Plus
- QSFP Port Lock
- OSFP Lock
- Fiber Optic LC Cable Lock Dual
- Fiber Optic LC Cable Lock Single
- Fiber Optic ST Cable Lock
- Fiber Optic Port Lock (ST)

Other Security

- Serial Port Lock
- DVI Port Lock
- Parallel Port Lock
- SD Port Lock
- Micro SD Port Lock
- CF Port Lock
- E-SATA Port Lock
- ODD Lock
- HDMI Port Lock
- Mini HDMI Port Lock
- DisplayPort Lock
- Mini DisplayPort Lock
- BNC Port Lock
- RF Module Lock(Type N/M)
- RJ11 Port Lock

No Key Required / PC • Laptop Security

- HDMI Cable Grip
- LAN Cable Grip
- PC Lock (Key Type)
- PC Lock (Combination)
- Laptop Lock (Combination)
- Laptop Lock Plus
- Laptop DOCK & LOCK

Lock Key

- Universal Lock Key 3
- Lock Key Mini

Universal Lock Key 3

CSK-U30

33.3 X 16.0 x 115.0mm | 71.0g (1.31" x 0.63" x 4.53" | 2.5oz)

Advantages

- Scalability : One key can unlock 40 different Pro series products.
- Variety of pattern : Numerous patterns are available.
- Key management : End-user verification and matching serial numbers.



Sleek Design




Anti-Static Pad



LED Light



LED Light Button



Blades

※ Pattern is obscured for security.



Button


Body




Anti-Static Pad



Insert Mode



Retrieval Mode



Closed Mode (Not used)

Universal Lock Key 3 Products




USB Security




USB Port Lock




USB-B Port Lock




USB-C Port Lock Plus



Link Lock



C Link Lock



C-Charge Lock




Link Lock Hub




Link On 3




Secure Drive



Secure Connector



Network Security



Network Port Lock Plus



LAN Cable Lock Plus




Network Module Lock 4P




Network Module Lock 8P



Network Module Lock 12P



LAN Cable Link Lock & Dedicated Cable



Secure LAN Cable Coupler




Fiber Optic Module Lock Plus



QSFP Port Lock




OSFP Lock



Fiber Optic LC Cable Lock Dual



Fiber Optic LC Cable Lock Single



Fiber Optic Port Lock (ST)



Fiber Optic ST Cable Lock



Other Security



SD Port Lock



CF Port Lock




Serial Port Lock



DVI Port Lock



Parallel Port Lock




E-SATA Port Lock



ODD Lock




HDMI Port Lock




DisplayPort Lock



BNC Port Lock



RF Module Lock (Type N/M)



USB
Type A

USB Port Lock

CSK-UL10

12.3 X 4.6 X 10.0mm | 1.0g

Blocks unused USB(USB type A) port to prevent unauthorized device access. It can be released by same patterned **Universal Lock Key 3**.



USB
Type B

USB-B Port Lock

CSK-BLD10

8.4 X 7.2 X 8.5mm | 0.2g

Blocks unused USB-B(USB type B) port to prevent unauthorized device access. It can be released by same patterned **Universal Lock Key 3**.



USB
Type C

USB-C Port Lock Plus


CSK-CUL10

17.1 X 6.8 X 23.5mm | 3.5g

Blocks unused USB-C(USB type C) port to prevent unauthorized device access. It can be released by same patterned **Universal Lock Key 3**.
(⚡ Not working properly with Thunderbolt)



Example applied to laptop



Example applied to back panel of PC




Example applied to USB-B port



Before application to laptop



After application to laptop



Link Lock


CSK-LK11

16.2 X 16.0 X 40.9mm | 13.1g | USB 3.0 Support

Tethers USB device (e.g. keyboard or mouse) to a USB (USB Type A) port to prevent unauthorized removal. It can be released by same patterned **Universal Lock Key 3**.



Example applied to laptop



Example applied to back panel of PC



C Link Lock

CSK-CLK10

19.0 X 15.1 X 43.4 mm | 8.0g

It is a physical cybersecurity device that allows a single USB-C device to a USB-C port (Server, PC, Laptop and etc.,) by the security manager so that unauthorized device cannot be used. It can be released by same patterned **Universal Lock Key 3**.



After application to laptop



C-Charge Lock


CSK-CCK10

19.0 X 15.1 X 43.4 mm | 8.0g

This device blocks all data transfer to a USB-C port while allowing the port to be used for charging only. It can be released by same patterned **Universal Lock Key 3**.



After application to laptop



Link Lock Hub

CSK-LKH10
145.0 X 37.4 X 95.0mm | 111.0g

Works in conjunction with Link Lock. Allows use of multiple devices and prevents unauthorized removal of attached devices on Link Lock Hub. It can be released by same patterned **Universal Lock Key 3**.



Link On 3

CSK-OM30
21.9 X 12.18 X 78.9mm | 17g

A USB memory that can be physically locked to a USB port to prevent memory theft in your absence. It has a capacity of 128 GB and can be unlocked with the same pattern of **Universal Lock Key 3**.



Secure Drive

CSK-SM01
12.2 X 4.7 X 45.6mm | 7.0g | 32GB

Secure Drive is a 32GB USB Flash drive that is recognized only through a Secure Connector of the same pattern.
Secure Drive will not be recognized by general USB ports.



Inside of Link Lock Hub



Example of installation and lock




Example applied to laptop



Example applied to laptop



Example applied to front panel of PC





USB
Type A

Secure Connector

CSK-SC10

16.2 X 16.0 X 40.9mm | 10.0g

Secure Connector is used to read the Secure Drive and to block access to the USB Ports. It can be released by same patterned **Universal Lock Key 3**.




Ethernet
RJ45

Network Port Lock Plus

CSK-NL11

11.7 X 9.6 X 11.5mm | 0.7g

Blocks unused Ethernet RJ45 port to prevent unauthorized access. It can be released by same patterned **Universal Lock Key 3**.



Ethernet RJ45
Connector

LAN Cable Lock Plus

CSK-NC11

13.7 X 15.1 X 27.0mm | 4.9g

Tethers LAN cable to Ethernet RJ45 port physically to prevent unauthorized access into the port by unplugging the cable. It can be released by same patterned **Universal Lock Key 3**.



Example of Secure Drive and Secure Connector




Example applied to front panel of PC




Example applied to back panel of PC




Example applied to switch



Example applied to switch



Example applied to back panel of PC



Network Module Lock 4P·8P·12P


CSK-NM10/P4 | CSK-NM10/P8 | CSK-NM10/P12

4P | 57.6 X 20.7 X 20.0mm | 13.6g

8P | 59.7 X 39.0 X 30.0mm | 26.0g

12P | 87.7 X 39.0 X 30.0mm | 35.1g


Tethers multiple LAN cables(connectors) to Ethernet RJ45 ports to prevent unauthorized access. Applied as a module unit without unplugging the cables and lock it with two USB Port Lock. It can be released by same patterned **Universal Lock Key 3**.
(available in 4, 8, or 12 port configuration)



Example applied to hub



Example applied to switch




LAN Cable Link Lock & Dedicated Cable

CSK-NIP01 | CSK-NIP-CA01


LAN Cable Link Lock | 22.0 X 22.0 X 120.0mm | 25.0g

Dedicated Cable | 10.0mm X 2M | 63.0g

LAN Cable Link Lock is a network cable connector that enables communication only when pattern matching.
Dedicated Cable is used. Physically distinguish between different networks. Use LAN Cable Link Lock with LAN Cable Lock Plus to create a secure network environment.



Example of LAN Cable Link Lock & Dedicated Cable



Secure LAN Cable Coupler

CSK-NCC10

53.2 X 24.4 X 23.6mm | 25g


Prevents accidental separation of LAN cable (Ethernet RJ45) from the network device. It can be released by same patterned **Universal Lock Key 3**.



Example applied to switch



Example applied to back panel of PC



Fiber Optic Module Lock Plus


CSK-FO11

13.4 X 8.6 X 14.1mm | 3.0g

Blocks access to unauthorized equipment by inserting it into an unused SFP (Small form-factor pluggable) transceiver module of a network switch equipment. A product with enhanced security in the optical module lock. It can be released by same patterned **Universal Lock Key 3**.



Example applied to switch



QSFP Port Lock

CSK-QFO10

18.5 X 8.3 X 40.0mm | 8.3g

Blocks unused QSFP (Quad Small form-factor pluggable) transceiver port to prevent unauthorized access. It can be released by same patterned **Universal Lock Key 3**.



Example applied to switch



OSFP Lock

CSK-OSF10

22.1 X 12.4 X 73.8 mm | 18g


Physically blocks unused empty OSFP (Octal Small Form-factor Pluggable) ports to prevent unauthorized access. It can be released by same patterned **Universal Lock Key 3**.



Example before application



Example after application




Fiber Optic LC Cable Lock Dual·Single

CSK-FOC10D | CSK-FOC10S

Fiber Optic LC Cable Lock Dual | 11.8 X 16.2 X 27.2 mm | 3.5g

Fiber Optic LC Cable Lock Single | 11.6 X 16.2 X 27.2 mm | 3.5g

Locks a single or dual type LC fiber optic cable to a port, prevents it from being pulled out by vibration or other forces, and can be installed without removing a cable from the port. It can be released by same patterned **Universal Lock Key 3**.



Example applied to switch



Example applied to media converter




ST Fiber Optic Patch Cable

Fiber Optic ST Cable Lock

CSK-FOSC10

12.6 X 6.5 X 16.4mm | 5.1g

Prevent optical patch ST Cable disconnecting by vibration or forces. It can be released by same patterned **Universal Lock Key 3**.



Example before application



Example after application



Fiber Optic Port ST

Fiber Optic Port Lock (ST)

CSK-FOS10

Ø12 X 21mm | 1.7g

Blocks unused empty fiber optic ST(Straight Tip) ports to prevent unauthorized access. It can be released by same patterned **Universal Lock Key 3**.



Example before application



Example after application



SD Card Slot
(Secure Digital)

SD Port Lock

CSK-SDD10
24.0 X 2.3 X 21.5mm | 1.5g

Blocks unused SD(SecureDigital) card port to prevent the use of unauthorized SD memory card. It can be released by same patterned **Universal Lock Key 3**.



CF Card Slot
(CompactFlash)

E-SATA

CF Port Lock · E-SATA Port Lock

CSK-CFD10 | CSK-ETD10
CF Port Lock | 42.5 X 4.6 X 21.0mm | 3.0g
E-SATA Port Lock | 15.3 X 3.9 X 6.9mm | 0.3g

Blocks unused CF(CompactFlash) card port · E-SATA (eSATAp) port to prevent unauthorized access. It can be released by same patterned **Universal Lock Key 3**.

Lock by
USB Port Lock



Serial
DE9,DB9,
RS232

DVI
DVI-I / DVI-D

Parallel
(DB-25)

Serial · DVI · Parallel Port Lock

CSK-SPL10 | CSK-DL10 | CSK-PL10
Serial Port Lock | 34.2 X 12.1X 17.6mm | 5.5g
DVI Port Lock | 41.6 X 12.1 X 17.6mm | 6.5g
Parallel Port Lock | 56.2 X 12.1 X 17.6mm | 8.2g

Blocks Serial(RS232 Ports, 9-pin COM, and RGB/VGA) ports, DVI(DVI-I/DVI-D) ports, Parallel(DB-25) ports on systems such as PCs or servers. It can be released by same patterned **Universal Lock Key 3**.



Before application to laptop



After application to laptop



After application to E-SATA port



After applied to front panel of PC



Before applied to back panel of PC




After applied to back panel of PC



ODD Lock

CSK-OL10
28.2 X 3.9 X 26.6mm | 4.1g

Restricts the use of optical(DVD/CD-ROM) drives.
It can be released by same patterned **Universal Lock Key 3**.



HDMI Port Lock · Display Port Lock

CSK-HMD10 | CSK-DLD10
HDMI Port Lock | 13.9 X 4.5 X 7.0mm | 0.3g
Display Port Lock | 16.0 X 4.7 X 8.6mm | 0.3g

Blocks unused HDMI(High-Definition Multimedia Interface) port · DP(Display) Port to prevent unauthorized access. It can be released by same patterned **Universal Lock Key 3**.



BNC Port Lock

CSK-BNL10
Ø18 X 17.0 X 18.0mm | 17.5g

Prevents and delays external intrusion by physically blocking BNC ports such as measuring instruments, broad casting equipment, and communications equipment from being arbitrarily used. It can be released by same patterned **Universal Lock Key 3**.




Locking pin of ODD Lock



Example applied to optical drive




After application to laptop




After applied to back panel of PC



Example of BNC Port Lock




Example of BNC Port Lock and Network Port Lock Plus



RF Module Lock (Type N/M)

CSK-RM10
Ø20.9 X 14.8 X 28.0mm | 5.0g

Prevents and delays external intrusion by physically blocking RF Modules(N, M Type) such as measuring instruments, broadcasting equipment, and communications equipment from being arbitrarily used. It can be released by same patterned **Universal Lock Key 3**.




Lock Key Mini

CSK-U04

19.2 X 7.4 X 92.61mm | 8.5g

Advantages

- It can unlock all 7 **SMARTKEEPER Pro** Mini products.
- It managed by serial number is not available to the public (B2B only).
- It is provided after end user verification.



Thin but strong
Key Blades.

※ Pattern is obscured for security.




Flip the cover cap over
to protect the key blades.



Insert Mode



Retrieval Mode



Closed Mode (Not used)



Lock Key Mini Products



Mini USB-B Port Lock



Micro USB-B Port Lock



USB-C Port Lock



Mini HDMI Port Lock



Mini Display Port Lock



Micro SD Port Lock



RJ11 Port Lock



Mini USB-B Port Lock

CSK-UL04
6.7 X 3.05 X 5.35mm | 0.1g


Blocks unused Mini USB-B(Mini-B) port to prevent unauthorized device access. It can be released by **Lock Key Mini**.



Micro USB-B Port Lock

CSK-MUL04
6.85 X 1.79 X 3.5mm | 0.1g

Blocks unused Micro USB-B(Micro-B) port to prevent unauthorized device access. It can be released by **Lock Key Mini**.



USB-C Port Lock

CSK-CL04
8.3 X 2.5 X 6.0mm | 0.2g

Blocks unused USB-C (USB Type C) port to prevent unauthorized device access. It can be released by **Lock Key Mini**.



Before application to Mini USB-B port




After application to Mini USB-B port



Example applied to Micro USB-B port



Example applied to Micro USB-B port



Example applied to front panel of PC



Example applied to laptop



Mini HDMI

Mini HDMI Port Lock

MHMD04

10.4 X 2.51 X 4.0mm | 0.07g

Physically blocks unused Mini Display Ports(DP) to prevent unauthorized access. It can be released by **Lock Key Mini**.




Mini DP

Mini DisplayPort Lock

CSK-MD04

7.4 X 4.4 X 5.0mm | 0.1g

Blocks unused Mini DP (DisplayPort) to prevent unauthorized device access. It can be released by **Lock Key Mini**.



Micro SD
Card Slot

Micro SD Port Lock

MSD04

10.5 X 1.0 X 13.0mm | 0.12g

Physically blocks unused Micro SD ports to prevent unauthorized access. It can be released by **Lock Key Mini**.



Before application to Mini HDMI port



After application to Mini HDMI port



Before application to Mini DisplayPort




After application to Mini DisplayPort



Before application to Micro SD port




After application to Micro SD port




RJ11 Port Lock

CSK-MNL04
9.4 X 10.5 X 10.9mm | 0.5g

Blocks unused RJ11 port to prevent unauthorized device access. It can be released by **Lock Key Mini**.



No Key Required / PC • Laptop Security





USB Closing Lock

CSK-PC01

12.4 X 4.6 X 10.0mm | 1.0g


Blocks unused USB(USB type A) port **permanently** to prevent unauthorized device access. It cannot be released once inserted into the USB port.



Before application to USB port



After application to USB port



HDMI Cable Grip

HCG01


Cable Holder | 13.7 X 18.4 X 18.6mm | 2.5g

Strap | 8.8 X 5.2 X 105.3mm | 2.0g


Locks the HDMI cable in broadcast, on-set, and PC environments to prevent vibration or accidental dislodgement.



Example applied to laptop



Example of application of filming equipment




LAN Cable Grip


NCG01

13.7 X 13.2 X 40.0mm | 4.5g

Prevents accidental separation of LAN cable (Ethernet RJ45) from the network device. Can be released without a key.



Example applied to switch



Example applied to switch



PC Lock (Key Type)

CSK-SL01
 50.0 X 29.4 X 56.0mm | 123.0g
 Cable | 2M X 3.0mm | 79.0g


Prevents theft of desktop PC or opening of the side panel of a desktop PC. A separate patterned key is required to unlock. Numerous patterns can be manufactured.



PC Lock (Combination)

CSK-SLD01
 19.3 X 50.1 X 54.3mm | 91.0g
 Cable | 2M X 3.0mm | 79.0g



Prevents theft of desktop PC or opening of the side panel of a desktop PC.
 It has 4-digit dial type lock, so it is easy to manage.
 (Cannot reset password, User's can only change the password).



Laptop Lock (Combination)

CSK-LLD01
 16 X 22.7 X 54.5mm | 62.0g
 Cable | 2M X 3.0mm | 79.0g

Laptop locking device using USB (USB Type A) ports to prevent theft and removal of laptops.
 It has 4-digit dial type lock, so it is easy to manage.
 (Cannot reset password, User's can only change the password).





Laptop

Laptop Lock Plus (Combination)

LLD02
273.0 X 76.0 X 24.0 mm | 395.0g

It is an anti-theft device for laptops. It can be installed without any security hole or specific ports. It secures the laptop to a physical appliance such as a table or desk with a security cable. It is a combination lock and SMARTKEEPER Multi Hub (optional) can be use together.



Example applied to laptop



Example applied to laptop



USB Type C



Laptop

Laptop DOCK & LOCK

LLD02P
273.0 X 76.0 X 24.0 mm | 510.0g

A docking station type laptop security device that is compatible with various sizes of laptops and offers flexible expandability to prevent laptop theft and expand ports at the same time.



Example applied to laptop



Example applied to laptop



www.smartkeeperworld.com



We do security better

COMXI Co., Ltd.

70, Dusan-ro, Suite B-1904, Geumcheon-gu, Seoul, 08584, Korea
TEL +82.2.554.9099 | **E-Mail** global_sales@comxi.com

COMXI World LLC

11357 Nuckols Rd. #1268, Glen Allen, VA 23059, USA
TEL +1.804.299.5234 | **E-Mail** info@comxiworld.com

